### Search Results -

Terms	Documents
L8 and first and second and variable\$	12

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

Database:

L9 		<u></u>	Refine Search
	Recall Text 👄	Clear	interrupt

## Search History

# DATE: Monday, February 06, 2006 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGP1	B, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR = 1	NO; OP=OR	
<u>L9</u>	L8 and first and second and variable\$	12	<u>L9</u>
<u>L8</u>	L7 and cost	19	<u>L8</u>
<u>L7</u>	hop near distance and constraint	22	<u>L7</u>
<u>L6</u>	L5 and cost	25	<u>L6</u>
<u>L5</u>	L3 and second and variable\$	34	<u>L5</u>
<u>L4</u>	L2 and hop near distance	0	<u>L4</u>
<u>L3</u>	L2 and constraint and first and variable\$	36	<u>L3</u>
<u>L2</u>	706/19.ccls.	100	<u>L2</u>
<u>L1</u>	20050021486	2	<u>L1</u>

**END OF SEARCH HISTORY** 

### Search Results -

Terms	Documents
L2 and constraint near (optimization or satisfaction) and first and second and variable\$	11
and cost	

Database:
US Pre-Grant Publication Full-Text Database
US OCR Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

L10

Refine Search

Recall Text
Clear

Interrupt

Search History

Set Name side by side	Query	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
DB=P	GPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=OR		
<u>L10</u>	12 and constraint near (optimization or satisfaction) and first and second and variable\$ and cost	11	<u>L10</u>
<u>L9</u>	L8 and first and second and variable\$	12	<u>L9</u>
<u>L8</u>	L7 and cost	19	<u>L8</u>
<u>L7</u>	hop near distance and constraint	22	<u>L7</u>
<u>L6</u>	L5 and cost	25	<u>L6</u>
<u>L5</u>	L3 and second and variable\$	34	<u>L5</u>
<u>L4</u>	L2 and hop near distance	0	<u>L4</u>
<u>L3</u>	L2 and constraint and first and variable\$	36	<u>L3</u>
<u>L2</u>	706/19.ccls.	100	<u>L2</u>
<u>L1</u>	20050021486	2	<u>L1</u>

### Search Results -

Terms	Documents
L7 and constraint near (optimization or satisfaction)	2

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L12			*	Refine Search
	ecall Text 🕳	Clear		Internot

### Search History

Set Name side by side	Query	<u>Hit</u> Count	Set Name result set
DB=P	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=NO; OP=OR		
<u>L12</u>	L7 and constraint near (optimization or satisfaction)	2	<u>L12</u>
<u>L11</u>	L10 and hop near distance	0	<u>L11</u>
<u>L10</u>	12 and constraint near (optimization or satisfaction) and first and second and variable\$ and cost	11	<u>L10</u>
<u>L9</u>	L8 and first and second and variable\$	12	<u>L9</u>
<u>L8</u>	L7 and cost	19	<u>L8</u>
<u>L7</u>	hop near distance and constraint	22	<u>L7</u>
<u>L6</u>	L5 and cost	25	<u>L6</u>
<u>L5</u>	L3 and second and variable\$	34	<u>L5</u>
<u>L4</u>	L2 and hop near distance	0	<u>L4</u>
<u>L3</u>	L2 and constraint and first and variable\$	36	<u>L3</u>
<u>L2</u>	706/19.ccls.	100	<u>L2</u>
<u>L1</u>	20050021486	2	<u>L1</u>

### Search Results -

Terms	Documents
L15 and cost	4

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L16			Refine Search
	Recall Text 👄	Clear	Internot

## Search History

Set Name side by side	Query	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
DB=P	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=OR		
<u>L16</u>	L15 and cost	4	<u>L16</u>
<u>L15</u>	L13 and second same state	4	<u>L15</u>
<u>L14</u>	L7 and second same state	4	<u>L14</u>
<u>L13</u>	L7 and first same state	8	<u>L13</u>
<u>L12</u>	L7 and constraint near (optimization or satisfaction)	2	<u>L12</u>
<u>L11</u>	L10 and hop near distance	0	<u>L11</u>
<u>L10</u>	12 and constraint near (optimization or satisfaction) and first and second and variable\$ and cost	11	<u>L10</u>
<u>L9</u>	L8 and first and second and variable\$	12	<u>L9</u>
<u>L8</u>	L7 and cost	19	<u>L8</u>
<u>L7</u>	hop near distance and constraint	22	<u>L7</u>
<u>L6</u>	L5 and cost	25	<u>L6</u>
<u>L5</u>	L3 and second and variable\$	34	<u>L5</u>

<u>L4</u>	L2 and hop near distance	0	<u>L4</u>
<u>L3</u>	L2 and constraint and first and variable\$	36	<u>L3</u>
<u>L2</u>	706/19.ccls.	100	<u>L2</u>
<u>L1</u>	20050021486	2	<u>L1</u>

# END OF SEARCH HISTORY

# **Hit List**

First Hit Clear Generate Collection Print Fwd Refs Bkwd Refs

Generate OACS

**Search Results -** Record(s) 1 through 2 of 2 returned.

1. Document ID: US 20050021486 A1

Using default format because multiple data bases are involved.

L12: Entry 1 of 2

File: PGPB

Jan 27, 2005

PGPUB-DOCUMENT-NUMBER: 20050021486

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20050021486 A1

TITLE: Solving constraint satisfaction problems using variable-range hopping

PUBLICATION-DATE: January 27, 2005

INVENTOR-INFORMATION:

NAME

CITY

STATE

COUNTRY

Naveh, Yehuda

Haifa

IL

US-CL-CURRENT: 706/46; 706/45

					·							
Fuil	Titla	Citation	Fine	Review	Classification	Date	Reference	Segregation	Attachments	Claime	KMC Dr	ann De
	1111	i oleanon i	7 10/1/4	1.00.000	01333110811011	trate	Neterence	ander me	Zattora introduce	Ctama		SHOUND IN

2. Document ID: US 20050021486 A1

L12: Entry 2 of 2

File: DWPI

Jan 27, 2005

DERWENT-ACC-NO: 2005-131412

DERWENT-WEEK: 200514

COPYRIGHT 2006 DERWENT INFORMATION LTD

TITLE: Constraint satisfaction problem solving method, involves choosing state that

is varied from another state by <a href="https://www.ncentral.org">hop distance</a>, redefining latter state, if cost

meets condition indicative that constraints are satisfied

INVENTOR: NAVEH, Y

PRIORITY-DATA: 2003US-0624664 (July 22, 2003)

PATENT-FAMILY:

PUB-NO PUB-DATE

LANGUAGE

PAGES MAIN-IPC

US 20050021486 A1

January 27, 2005

012

G06N005/02

INT-CL (IPC):  $\underline{G06} \ \underline{E} \ 1/\underline{00}; \ \underline{G06} \ \underline{E} \ 3/\underline{00}; \ \underline{G06} \ \underline{F} \ 15/\underline{18}; \ \underline{G06} \ \underline{F} \ 17/\underline{00}; \ \underline{G06} \ \underline{G} \ 7/\underline{00};$ 

G06 N 5/00; G06 N 5/02

Full Title Citation Front Review Classification	Date Reference	Claims K	MC Draw Di
Clear Generate Collection Print	Fwd Refs Bkwd	Refs Generate	OACS
			7
Terms .		Documents	
L7 and constraint near ( satisfaction)	optimization or	2	

Change Format Display Format:

Previous Page Next Page Go to Doc#



Home | Login | Logout | Access information

#### Welcome United States Patent and Trademark Office

Advanced Search BROWSE SEARCH IEEE XPLORE GUIDE Prion 1 » Publications (%) Help Enter keywords or phrases, select fields, and select operators Select publications **▼** IEEE Periodicals in All Fields ₩ IEE Periodicals AND 👻 in All Pields ☑ IEEE Conference AND 😽 In All Fields ✓ IEE Conference P ▼ IEEE Standards » Other Resources (Availat » Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box. IEEE Books **OPTION 2** » Select date range (2) Help Enter keywords, phrases, or a Boolean expression C Search latest content u (constraint <phrase> optimization) <and> From year All cost to Present » Display Format C Citatio Citation » Organize results » Note: You may use the search operators <and> or <or> without the start and end brackets <>. Maximum 100 » Learn more about Field Codes, Search Examples, and Search Operators Display 25 Sort by Relevance In Descending

Minspec"

Help Contact Us

© Copyright 26



Home | Login | Logout | Access Information

### Welcome United States Patent and Trademark Office

Advanced Search

BROWSE

SEARCH

IEEE XPLORE GUIDE

~~	OPTION 1 Enter keywords or phrases, select fields,	and select operators	(2) Help	» Publications Select pul	blications
		in All Fields	•	<b>▼</b> IEEE	Periodicals
	AND 🐷	in All Fields		<b>☑</b> IEE P	eriodicals
	200200000000000000000000000000000000000		<b></b>	M IEEE	Conference
	AND 💌	in All Fields	•		onference P
				IEEE	Standards
	» Note: If you use all three search boxes, the		boxes	» Other Resou	rces (Availat
	take precedence over the entry in the third bo	ox.		IEEE Bo	ooks
-	OPTION 2 Enter keywords, phræses, or a Boolean ex	pression	<b>(2)</b> Help	» Select date ra	-
	(hop <phrase> distance) <an< td=""><td>d&gt; cost</td><td></td><td>From year</td><td>***************************************</td></an<></phrase>	d> cost		From year	***************************************
			<u>_</u>	» Display Form	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
				Citation	C Citatio
	» Note: You may use the search operators  without the start and end brackets <>.	and> or <or></or>		» Organize res	ults
				Maximum 1	00 +
		mples, and Search Or	erators	3	
	Learn more about <u>Field Codes</u> , <u>Search Exa</u>	amples, and <u>Search Op</u>	erators	Display 2	5 resi
		amples, and <u>Search Op</u>	erators	5····	5 resi

indexed by #Inspec\* Help Contact Us © Copyright 20



Home | Login | Logout | Access information

#### Welcome United States Patent and Trademark Office

Advanced Search BROWSE SEARCH IEEE XPLORE GUIDE **OPTION 1** » Publications Help Enter keywords or phrases, select fields, and select operators Select publications **▼** IEEE Periodicals in All Fields IEE Periodicals AND 💌 in All Fields IEEE Conference AND 😽 in All Fields **▼** IEE Conference P IEEE Standards » Other Resources (Availat » Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box. IEEE Books **OPTION 2** » Select date range (%) Help Enter keywords, phrases, or a Boolean expression C Search latest content u (constraint <phrase> satisfaction) <and> From year All cost to Present » Display Format Citation C Citatio » Organize results » Note: You may use the search operators <and> or <or> without the start and end brackets <>. Maximum 100 » Learn more about Field Codes, Search Examples, and Search Operators Display 25 resı

Minspec\*

Help Contact Us

© Copyright 20

In Descending

Sort by Relevance

# **Hit List**

First Hit Clear Generate Collection Fwd Refs Print **Bkwd Refs** Generate OACS

**Search Results -** Record(s) 1 through 4 of 4 returned.

1. Document ID: US 20050203988 A1

Using default format because multiple data bases are involved.

L16: Entry 1 of 4

File: PGPB

Sep 15, 2005

PGPUB-DOCUMENT-NUMBER: 20050203988

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20050203988 A1

TITLE: Heterogeneous multiprocessor network on chip devices, methods and operating

systems for control thereof

PUBLICATION-DATE: September 15, 2005

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY Nollet, Vincent Mechelen BE Coene, Paul Grobbendonk BE Marescaux, Theodore Leuven ΒE Avasare, Prabhat Mumbai IN Mignolet, Jean-Yves Berloz ΒE Vernalde, Serge Leuven BF. Verkest, Diederik Lubbeek BE

US-CL-CURRENT: 709/201

Full Title	Citation Front	Review Classification	Date Reference	Sequences Attach	merts Claims	KWMC Drawa De
				-	,	
	***************************************		***************************************	***************************************		

2. Document ID: US 20050021486 A1

L16: Entry 2 of 4

File: PGPB

Jan 27, 2005

PGPUB-DOCUMENT-NUMBER: 20050021486

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20050021486 A1

TITLE: Solving constraint satisfaction problems using variable-range hopping

PUBLICATION-DATE: January 27, 2005

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY Naveh, Yehuda

Haifa

IL

US-CL-CURRENT: 706/46; 706/45

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Draw De

3. Document ID: US 20020150099 A1

L16: Entry 3 of 4

File: PGPB

Oct 17, 2002

PGPUB-DOCUMENT-NUMBER: 20020150099

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20020150099 A1

TITLE: Multicast routing method satisfying quality of service constraints, software

and devices

PUBLICATION-DATE: October 17, 2002

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY

Pung, Hung Keng Singapore SG Song, Jun Nan Jing CN

US-CL-CURRENT: 370/390; 370/432

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KeliC Draw De

4. Document ID: US 20020071392 A1

L16: Entry 4 of 4 File: PGPB

Jun 13, 2002

PGPUB-DOCUMENT-NUMBER: 20020071392

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20020071392 A1

TITLE: Design of a meta-mesh of chain sub-networks

PUBLICATION-DATE: June 13, 2002

INVENTOR-INFORMATION:

NAME STATE CITY COUNTRY

Grover, Wayne D. Edmonton CA Doucette, John Edmonton CA

US-CL-CURRENT: 370/241; 370/249

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims RMC Draw De

	enerate Collection	Print F\		kwd Refs	Generate OACS
Terms			Documen	ts	
L15 a	nd cost				4

Change Format Display Format: -

Previous Page Next Page Go to Doc#

### Search Results -

Terms	Documents
L15 and cost	4

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L16			*	Refine Search
	Recall Text 🗢	Clear		Interrupt

### Search History

Set Name side by side	Query	Hit Count	<u>Set</u> <u>Name</u> result set
DB=P	GPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=OR		
<u>L16</u>	L15 and cost	4	<u>L16</u>
<u>L15</u>	L13 and second same state	4	<u>L15</u>
<u>L14</u>	L7 and second same state	4	<u>L14</u>
<u>L13</u>	L7 and first same state	8	<u>L13</u>
<u>L12</u>	L7 and constraint near (optimization or satisfaction)	2	<u>L12</u>
<u>L11</u>	L10 and hop near distance	0	<u>L11</u>
<u>L10</u>	12 and constraint near (optimization or satisfaction) and first and second and variable\$ and cost	11	<u>L10</u>
<u>L9</u>	L8 and first and second and variable\$	12	<u>L9</u>
<u>L8</u>	L7 and cost	19	<u>L8</u>
<u>L7</u>	hop near distance and constraint	22	<u>L7</u>
<u>L6</u>	L5 and cost	25	<u>L6</u>
<u>L5</u>	L3 and second and variable\$	34	<u>L5</u>

<u>L4</u>	L2 and hop near distance	0	<u>L4</u>
<u>L3</u>	L2 and constraint and first and variable\$	36	<u>L3</u>
<u>L2</u>	706/19.ccls.	100	<u>L2</u>
<u>L1</u>	20050021486	2	<u>L1</u>

### **END OF SEARCH HISTORY**



Home | Login | Logout | Access Information | Alerts |

Search Res	PREFASI 2-1		BROWSE	SEARCH	IEEE XPLORE GI	une:		
Results for Your search	"(((constraint <phrase> o n matched 12 of 1310010 d</phrase>	ocuments.	<pre>seconds <and>cost )<in>metadat age, sorted by Relevance in</in></and></pre>	ta)"		⊠e-mail		
» Search O	otions							
View Session	on History	Modify	Search			_		
New Search	ו		(((constraint <phrase> optimization) <and> cost )<in>metadata)  Search  Check to search only within this results set</in></and></phrase>					
» Key				Citation & Abs	stract			
	Indicates full text access	<u></u>						
IEEE JNL	IEEE Journal or Magazine	€ Alem	selected items   Select	All Deselect All				
iee JNL	IEE Journal or Magazine	1	. Solving generalized oper framework	en constraint opt	imization problem usi	ng two-leve		
IEEE CNF	IEEE Conference Proceeding		Lau, H.C.; Zhang, L.; Liu, Intelligent Agent Technol		CM International Confer	ence on		
IEE CNF	IEE Conference Proceeding		19-22 Sept. 2005 Page(s Digital Object Identifier 10	):558 - 564	· ·	ence on		
IEEE STD	IEEE Standard		Abstract   Full Text: PDF( Rights and Permissions					
		□ ²	. Optimum transmission Shengxian Sun; Yaohuar Communications, Circuits Conference on Volume 2, 29 June-1 Jul Abstract   Full Text: PDF( Rights and Permissions	n Gong; Zhongwer s and Systems and y 2002 Page(s):10	n Gou; I West Sino Expositions 141 - 1044 vol.2			
		<b>m 3</b>	. Solving constraint optir search techniques Dasgupta, P.; Chakrabart Knowledge and Data Eng Volume 14, Issue 2, Mar Digital Object Identifier 10 Abstract   Full Text: PDF(	ti, P.P.; Dey, A.; G sineering, IEEE Tra rch-April 2002 Pag 0.1109/69.991721	hose, S.; Bibel, W.; ansactions on ge(s):353 - 368	cifications L		
		····· 4	Rights and Permissions		.44!!/!			

4. New hybrid method for solving constraint optimization problems in anyting Loudni, S.; Boizumault, P.; Tools with Artificial Intelligence, Proceedings of the 13th International Conferer 7-9 Nov. 2001 Page(s):325 - 332 Digital Object Identifier 10.1109/ICTAI.2001.974480 Abstract | Full Text: PDF(102 KB) IEEE CNF Rights and Permissions 

5. A branch-and-bound method for finding independently distributed probal that satisfy probability order constraints Sy, B.K.; Xiao Ying Han; Systems, Man, and Cybernetics, 1997, 'Computational Cybernetics and Simula

International Conference on Volume 1, 12-15 Oct. 1997 Page(s):427 - 432 vol.1 Digital Object Identifier 10.1109/ICSMC.1997.625787 Abstract | Full Text: PDF(416 KB) IEEE CNF Rights and Permissions 6. Designing asymmetric Hopfield-type associative memory with higher ord Dong-Liang Lee; Chuang, T.C.; Neural Networks, IEEE Transactions on Volume 16, Issue 6, Nov. 2005 Page(s):1464 - 1476 Digital Object Identifier 10.1109/TNN.2005.852863 Abstract | Full Text: PDF(552 KB) IEEE JNL Rights and Permissions 7. Design and implementation of uniplanar gradient field coil for magnetic re \_\_\_ imaging Lemdiasov, R.A.; Ludwig, R.; Magnetics, IEEE Transactions on Volume 40, Issue 4, Part 1, July 2004 Page(s):1939 - 1943 Digital Object Identifier 10.1109/TMAG.2004.829434 Abstract | Full Text: PDF(288 KB) IEEE JNL Rights and Permissions 8. Simultaneous wire sizing and wire spacing in post-layout performance or Jiang-An He; Kobayashi, H.; Design Automation Conference 1998. Proceedings of the ASP-DAC '98. Asia a 10-13 Feb. 1998 Page(s):373 - 378 Digital Object Identifier 10.1109/ASPDAC.1998.669503 Abstract | Full Text: PDF(556 KB) 1888 CNF Rights and Permissions 9. Approximating optimal spare capacity allocation by successive survivable Yu Liu; Tipper, D.; Siripongwutikorn, P.; Networking, IEEE/ACM Transactions on Volume 13, Issue 1, Feb. 2005 Page(s):198 - 211 Digital Object Identifier 10.1109/TNET.2004.842220 Abstract | Full Text: PDF(1256 KB) IEEE JNL Rights and Permissions 10. Constraint optimization for partially adaptive subspace STAP algorithms Baranoski, E.J.; Signals, Systems & Computers, 1998, Conference Record of the Thirty-Secon Conference on Volume 2, 1-4 Nov. 1998 Page(s):1527 - 1531 vol.2 Digital Object Identifier 10.1109/ACSSC.1998.751582 Abstract | Full Text: PDF(420 KB) | IEEE CNF Rights and Permissions 11. The implementation of an "in-scribe" product test strategy to optimize a "constraint" and improve yield (metric) performance MacAfee, G.H.; Brim, S.; Matthews, G.; Electronics Manufacturing Technology Symposium, 1998, Twenty-Third IEEE/ 19-21 Oct. 1998 Page(s):128 - 130 Digital Object Identifier 10.1109/IEMT.1998.731058 Abstract | Full Text: PDF(440 KB) IEEE CNF Rights and Permissions

### 12. Optimizing fragment constraints

Ibrahim, H.; Gray, W.A.; Fiddian, N.J.; Database and Expert Systems Applications, 1998. Proceedings, Ninth Internat 26-28 Aug. 1998 Page(s):48 - 55 Digital Object Identifier 10.1109/DEXA.1998.707379 Abstract | Full Text: PDF(152 KB) | IEEE CNF Rights and Permissions

> Help Contact Us Privacy &: © Copyright 2006 (EEE --

tedexed by #Inspec



Home | Login | Logout | Access Information

### Welcome United States Patent and Trademark Office

Advanced Search BROWSE SEARCH IEEE XPLORE GUIDE **OPTION 1** » Publications Help Enter keywords or phrases, select fields, and select operators Select publications **▼** IEEE Periodicals in All Fields IEE Periodicals AND 💌 in All Pields ☑ IEEE Conference AND 😽 in All Fields IEE Conference P IEEE Standards » Other Resources (Availat » Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box. IEEE Books **OPTION 2** » Select date range (2) Help Enter keywords, phrases, or a Boolean expression Search latest content u (constraint <phrase> satisfaction <phrase> From year All problems) <and> cost to Present » Display Format C Citatio Citation » Organize results » Note: You may use the search operators <and> or <or> without the start and end brackets <>. Maximum 100 \* » Learn more about Field Codes, Search Examples, and Search Operators Display 25 Sort by Relevance In Descending

Minspec"

elp Contact Us © Copyright 26

### Search Results -

Terms	Documents
hop near distance same state near space	1

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

	•	Refine Search
Recall Text 🗢	Clear	Interrupt

### Search History

# DATE: Monday, February 06, 2006 Printable Copy Create Case

Set Name side by side	Query	<u>Hit</u> Count	<u>Set</u> <u>Name</u> result set
DB=P	GPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=OR		
<u>L9</u>	hop near distance same state near space	1	<u>L9</u>
<u>L8</u>	20020150099	2	<u>L8</u>
<u>L7</u>	L6 and constriant	0	<u>L7</u>
<u>L6</u>	L5 and first and second and variable\$	27	<u>L6</u>
<u>L5</u>	L4 and space	42	<u>L5</u>
<u>L4</u>	hop near distance and state and random	68	<u>L4</u>
<u>L3</u>	hop near distance same state same random	1	<u>L3</u>
<u>L2</u>	hop near distance and constraint near (optimization or satisfaction)	2	<u>L2</u>
<u>L1</u>	hop near distance and constraint and cost and constraint near (optimization or satisfaction)	2	<u>L1</u>

### **END OF SEARCH HISTORY**



Home | Login | Logout | Access Information | Alerts |

ARIFASE 2.1			Melcome outen states Latent and Hanewalk Office						
Search Res			BROWSE	SEARCH	IEEE XPLORE G	UIDE			
Your searc	"(((hop <phrase> distanc h matched 6 of 1310010 do n of 100 results are displaye</phrase>	cuments.			ce in Descending ord	ler.	<b>⊠</b> e-mail		
» Search O	ptions								
View Sessi	on History	Moo	lify :	Search					
New Search		(((hop <phrase> distance) <and> cost )<in>metadata)</in></and></phrase>							
			Che	ck to search only withir	this results set				
» Key		Dis	olay	Format: @ Citatio	n C Citation & Ab	stract			
ieee jnl	IEEE Journal or Magazine		•••••						
IEE JNL	IEE Journal or Magazine	← vie	w s	elected items Sele	ect All Deselect All				
IEEE CNF	IEEE Conference Proceeding		1.	Cost-effective imple	mentation of multica	asting in wavelength-r	outed netw		
IEE CNF	IEE Conference Proceeding	•		Ali, M.; Deogun, J.S.; Lightwave Technology	y, Journal of				
IEEE STO	IEEE Standard			Volume 18, Issue 12, Digital Object Identifie	• • •				
				AbstractPlus   Reference Rights and Permission		(248 KB) IEEE JNL			
			2.	capability Ching-Fang Hsu; Te-l	ung Liu; Nen-Fu Hua 2. ICC 2002, IEEE In May 2002 Page(s):28	ternational Conference 360 - 2864 vol.5			
				AbstractPlus   Full Tex Rights and Permission		EE CNF			
			3.	Wavelength-routed of and a reconfiguration Banerjee, D.; Mukherj Networking, IEEE/ACI Volume 8, Issue 5, C Digital Object Identifie	<b>n study</b> ee, B.; <u>M.Transactions on</u> oct. 2000 Page(s):598	ear formulation, resou 3 - 607	urce budget		
				AbstractPlus   Reference Rights and Permission		216 KB) IEEE JNL			
			4.	Connectivity architecthi Guan; Chan, V.; Global Telecommunication Volume 3, 17-21 Nov Digital Object Identified AbstractPlus   Full Text	ations Conference, 20 . 2002 Page(s):2669 r 10.1109/GLOCOM.	002, GLOBECOM '02, I - 2675 vol.3 2002.1189114	<u>EEE</u>		

5. Topology Design of OXC-Switched WDM Networks Chi Guan; Chan, V.W.S.;

Rights and Permissions

Selected Areas in Communications, IEEE Journal on Volume 23, Issue 8, Aug. 2005 Page(s):1670 - 1686

### Search Results -

Terms	Documents
L10 and hop near distance	1

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L12		Refine Search
Recall Text 🗢	Clear	Interrupt

### Search History

Set Name side by side	Query	Hit Count	Set Name result set
DB=P	GPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=OR		
<u>L12</u>	L10 and hop near distance	1	<u>L12</u>
<u>L11</u>	L10 and cost	44	<u>L11</u>
<u>L10</u>	constraint near satisfaction near problems	91	<u>L10</u>
<u>L9</u>	hop near distance same state near space	1	<u>L9</u>
<u>L8</u>	20020150099	2	<u>L8</u>
<u>L7</u>	L6 and constriant	0	<u>L7</u>
<u>L6</u>	L5 and first and second and variable\$	27	<u>L6</u>
<u>L5</u>	L4 and space	42	<u>L5</u>
<u>L4</u>	hop near distance and state and random	68	<u>L4</u>
<u>L3</u>	hop near distance same state same random	1	<u>L3</u>
<u>L2</u>	hop near distance and constraint near (optimization or satisfaction)	2	<u>L2</u>
<u>L1</u>	hop near distance and constraint and cost and constraint near (optimization or satisfaction)	2	<u>L1</u>

Digital Object Identifier 10.1109/JSAC.2005.852186 AbstractPlus | Full Text: PDF(752 KB) | IEEE JNL Rights and Permissions

#### 6. k-weighted minimum dominating sets for sparse wavelength converters ; nonuniform traffic

El Houmaidi, M.; Bassiouni, M.A.; Modeling, Analysis and Simulation of Computer Telecommunications Systems MASCOTS 2003, 11th IEEE/ACM International Symposium on 12-15 Oct. 2003 Page(s):56 - 61 Digital Object Identifier 10.1109/MASCOT.2003.1240642 AbstractPlus | Full Text: PDF(306 KB) IEEE CNF Rights and Permissions

> Help Contact Us Privacy &: © Copyright 2006 IEEE --

indexed by **Minspec** 



Home | Login | Logout | Access Information | Alerts |

#### Welcome United States Patent and Trademark Office

Search Res	sults			BROWS	E	SEARCH	IEEE X	PLORE GUIDE		
Your search	"(((constraint <phrase> s h matched 18 of 1310010 d n of 100 results are displaye</phrase>	locuments		•	•	•		<b>⊠</b> e-mail		
» Search O	ptions	ند 6 6	i4 . O	u. li						
View Session History			Modify Search							
New Search			(((constraint <phrase> satisfaction <phrase> problems) <and> cost ) <in> metadata)</in></and></phrase></phrase>							
		<b>I</b>	Check to search only within this results set							
» Key		Dis	lay For	mat: 🌘 C	itation C	Citation & Ab	stract			
IEEE JNL	IEEE Journal or Magazine	t Ale	w sele	ted items	Select Al	Deselect All				
IEE JNL	IEE Journal or Magazine									
IEEE CNF	IEEE Conference Proceeding					ch to job-shop .; Baldwin, T.R.;				
iee Cnf	IEE Conference Proceeding		Vo		1, Jan. 19	991 Page(s):175	5 - 179			
IEEE STD	IEEE Standard		Ab	Digital Object Identifier 10.1109/72.80311 <u>AbstractPlus</u>   Full Text: <u>PDF(</u> 416 KB) IEEE JNL Rights and Permissions						
			Cia <u>Sy</u> <u>Int</u> Vo Dig <u>Ab</u>	arallo, F.W.; Ya stems, Man, a ernational Con lume 2, 12-15 gital Object Ide	ang, C.C.; nd Cybern oference or office Oct. 1997 entifier 10.1 ull Text: PE	etics, 1997, 'Co	mputational ( - 1929 vol.2 97.638348	etworks for tolerance Cybernetics and Simula		
			3. Ar Pe To 10 Dig	c consistency rlin, M.; ols for Artificia -13 Nov. 1991 gital Object Ide	y for facto I Intelligen Page(s):3 entifier 10.1 Ill Text: <u>P</u> E		67113	rnational Conference o		
		C	Zh <u>Ne</u> 17 Dig <u>Ab</u>	ou, D.N.; Cher <u>ural Networks,</u> 21 June 1990 jital Object Ide	kassky, V. , <u>1990., 19</u> Page(s):8 entifier 10.1	or job-shop sch ; Baldwin, T.R.; 90 IJCNN Intern 89 - 894 vol.3 109/IJCNN.199 0F(344 KB) 18:	Hong, D.W.; national Joint 0.137947	Conference on		
			<b>5. An</b> So <u>Ev</u>	ts can solve of Inon, C.; olutionary Com	constraint	satisfaction p IEEE Transaction 002 Page(s):34	ons on			

Digital Object Identifier 10.1109/TEVC.2002.802449

AbstractPlus | References | Full Text: PDF(361 KB) | IEEE JNL Rights and Permissions 6. A distributed algorithm solving CSPs with a low communication cost Prcovic, N.; Tools with Artificial Intelligence, 1996., Proceedings Eighth IEEE International 16-19 Nov. 1996 Page(s):454 - 455 Digital Object Identifier 10.1109/TAI.1996.560781 AbstractPlus | Full Text: PDF(184 KB) IEEE CNF Rights and Permissions 7. A mobile agent-based system for dynamic task allocation in clusters of e Bramberger, M.; Rinner, B.; Schwabach, H.; Intelligent Solutions in Embedded Systems, 2005. Third International Workshop 20 May 2005 Page(s):17 - 26 Digital Object Identifier 10.1109/WISES.2005.1438708 AbstractPlus | Full Text: PDF(503 KB) | IEEE CNF Rights and Permissions 8. A rough set approach for planner evaluation Sy, B.K.; Wang Jiaxin; Systems, Man, and Cybernetics, 1997, 'Computational Cybernetics and Simula International Conference on Volume 3, 12-15 Oct. 1997 Page(s):2835 - 2840 vol.3 Digital Object Identifier 10.1109/ICSMC.1997.635394 AbstractPlus | Full Text: PDF(344 KB) IEEE CNF Rights and Permissions 9. Mean-field approximation with neural network \_\_\_ Strausz, G.; Intelligent Engineering Systems, 1997, INES '97, Proceedings, 1997 IEEE Inte Conference on 15-17 Sept. 1997 Page(s):245 - 249 Digital Object Identifier 10.1109/INES.1997.632424 AbstractPlus | Full Text: PDF(356 KB) IEEE CNF Rights and Permissions 10. Worst case tolerance analysis and CLP-based multifrequency test generate circuits Abderrahman, A.; Cerny, E.; Kaminska, B.; Computer-Aided Design of Integrated Circuits and Systems, IEEE Transaction Volume 18, Issue 3, March 1999 Page(s):332 - 345 Digital Object Identifier 10.1109/43,748163 AbstractPlus | References | Full Text: PDF(516 KB) | IEEE JNE Rights and Permissions 11. A coordination framework for distributed supply chains Chan, H.K.; Chan, F.T.S.; Systems, Man and Cybernetics, 2004 IEEE International Conference on Volume 5, 10-13 Oct. 2004 Page(s):4535 - 4540 vol.5 Digital Object Identifier 10.1109/ICSMC.2004.1401246 AbstractPlus | Full Text: PDF(754 KB) IEEE CNF Rights and Permissions 12. Next generation wireless LAN system design Prommak, C.; Kabara, J.; Tipper, D.; Charnsripinyo, C.; MILCOM 2002, Proceedings

Volume 1, 7-10 Oct. 2002 Page(s):473 - 477 vol.1

Digital Object Identifier 10.1109/MILCOM.2002.1180488 AbstractPlus | Full Text: PDF(629 KB) IEEE CNF Rights and Permissions 13. New hybrid method for solving constraint optimization problems in anyti Loudni, S.; Boizumault, P.; Tools with Artificial Intelligence. Proceedings of the 13th International Conference 7-9 Nov. 2001 Page(s):325 - 332 Digital Object Identifier 10.1109/ICTAI.2001.974480 AbstractPlus | Full Text: PDF(102 KB) | IEEE CNF Rights and Permissions 14. Optimization of loop transmission functions in SISO uncertain feedback : • Nwokah, O.D.I.; Nordgren, R.E.; Grewal, G.S.; American Control Conference, 1994 Volume 1, 29 June-1 July 1994 Page(s):365 - 373 vol.1 Digital Object Identifier 10.1109/ACC.1994.751760 AbstractPlus | Full Text: PDF(488 KB) IEEE CNF Rights and Permissions 15. A Method for Dynamic Allocation of Tasks in Clusters of Embedded Sma Bramberger, M.; Rinner, B.; Schwabach, H.; Systems, Man and Cybernetics, 2005 IEEE International Conference on Volume 3, 10-12 Oct. 2005 Page(s):2595 - 2600 AbstractPlus | Full Text: PDF(416 KB) IEEE CNF Rights and Permissions 16. Solving timetabling problems using genetic algorithms Karova, M.; Electronics Technology: Meeting the Challenges of Electronics Technology Pre 27th International Spring Seminar on Volume 1, 13-16 May 2004 Page(s):96 - 98 vol.1 AbstractPlus | Full Text: PDF(163 KB) IEEE CNF Rights and Permissions 17. Distributed constraint satisfaction via a society of hill-climbers Dozier, G.; World Automation Congress, 2002, Proceedings of the 5th Biannual Volume 13, 9-13 June 2002 Page(s):313 - 318 Digital Object Identifier 10.1109/WAC.2002.1049562 AbstractPlus | Full Text: PDF(418 KB) IEEE CNF Rights and Permissions 18. Integer linear programming neural networks for job-shop scheduling Foo Yoon-Pin Simon; Takefuji, T.; Neural Networks, 1988, IEEE International Conference on 24-27 July 1988 Page(s):341 - 348 vol.2 Digital Object Identifier 10.1109/ICNN.1988.23946 AbstractPlus | Full Text: PDF(380 KB) IEEE CNF Rights and Permissions

indexed by # Insd Help Contact Us Privacy &: © Copyright 2006 (EEE -